

# CINE

## Series



## *Art through movement*

Support your cinematic artistry with the Sachtler Cine Series – fluid heads designed for cinematographers. With the Sachtler Cine Series, you get the best of both worlds - cine-features and powerful support in a fluid head that's the smallest and lightest in its class. Cine heads incorporate rapid counterbalance and frictionless fluid drag, allowing delicate cinematic moves.



# Innovation born of cinematic legacy:

Sachtler Cine heads have a long heritage in the moving picture industry. Cameraman and actor, Wendelin Sachtler, built his first head dampened by a gyro-system in 1958. Since then, filmmakers all around the world use Sachtler Cine heads on set every day to create must-see content, from Academy Award® winning pictures to smash-hit drama series.

## Speed and flexibility meeting every challenge:

Navigate demanding cinematic shoots with unparalleled speed and flexibility. From the agile Cine 20 to the high-performance Cine 50, speed becomes your ally. The secure Sideload mechanism ensures straightforward mounting and balancing of highly accessorised cameras. With a compact design, wide payload range and SpeedBalance technology, each fluid head empowers cinematographers to adapt swiftly to the dynamic demands of any shoot.

## Smoothness defining every frame:

Controlled camera movement is the heartbeat of cinematography. Sachtler Cine heads breathe life into every frame with delicate smooth movement through the entire range, from the compact Cine 20 to the all-rounder Cine 30 and the powerhouse Cine 50. With Sachtler variable drag settings, offering precise control over your camera’s movements, and a front pan bar for intuitive control, each Cine head ensures that your vision unfolds with unmatched smoothness.



CINE20

CINE30

CINE50

## Reliability engineered into every detail:

Sachtler Cine heads are synonymous with dependability. Crafted with precision engineering and robust materials, these fluid heads are built to withstand the rigours of daily set life. Sachtler Cine fluid heads are

an investment in your craft, providing a reliable working tool that stands resilient against the test of time, weather, and the challenges of diverse shooting environments.

## CINE Fluid Head Range



CINE20

CINE30

CINE50

Bowl:	100mm	150mm	150mm
Payload range:	2 - 22 kg / 4 - 48 lb	3 - 32 kg / 7 - 71 lb	10 - 50 kg / 22 - 110 lb
Counterbalance:	16 steps + Boost Button	18 steps + Boost Button	18 steps
Drag Setting:	7 + 0	7 + 0	9 + 0
Head Weight:	4.1 kg / 9.0 lb	6.7 kg / 14.7 lb	10.1 kg / 22.3 lb
Camera fitting:	Sideload	Sideload	Sideload
Sliding Range:	150 mm / 5.9 in	150 mm / 5.9 in	150 mm / 5.9 in
Tilt Range:	+90°/-80°	+90°/-75°	+90°/-60°
Temperature Range:	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F

All Cine heads include 1 telescopic pan bar.



CINE

Systems Overview



CINE20

Cine 20 flowtech 100 MS  
1911-FTMS

Cine 20 flowtech 100 GS  
1911-FTGS

Cine 20 HD CF MS  
1983

Cine 20 HD CF GS  
1982

Bowl:	100 mm	100 mm	100 mm	100 mm
Payload range:	2-22 kg / 4 - 48 lb	2-22 kg / 4 - 48 lb	2-22 kg / 4 - 48 lb	2-22 kg / 4 - 48 lb
Counterbalance:	16 steps + Boost Button	16 steps + Boost Button	16 steps + Boost Button	16 steps + Boost Button
Drag Setting:	7+0	7+0	7+0	7+0
System Weight:	8.3 kg /18.3 lb	8.2 kg / 18.1 lb	9.5 kg / 20.9 lb	10.3 kg / 22.8 lb
Camera fitting:	Slideload	Slideload	Slideload	Slideload
Sliding Range:	150 mm / 5.9 in	150 mm / 5.9 in	150 mm / 5.9 in	150 mm / 5.9 in
Temperature Range:	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F
Height Range with Spreader:	71 - 172 cm / 28 - 67.7 in	60 - 176 cm / 23.6 - 69.3 in	73 - 174 cm / 28.7- 68.5	72 - 178 cm / 28.3 - 70.1 in
Height Range wit- hout Spreader:	41 - 170 cm / 16.1 - 66.9 in	41 - 170 cm / 16.1 - 66.9 in	N/A	N/A
Transport Length:	86 cm / 33.9 in	86 cm / 33.9 in	94 cm / 37 in	94 cm / 37 in
Tripod Material:	Carbon Fibre	Carbon Fibre	Carbon Fibre	Carbon Fibre

Cine 20 Systems include fluid head and pan bar, tripod and spreader, front pan bar and soft carry case (flowtech systems also include carry handle).



Accessories



Front Pan Bar S  
3373



Slideload Plate M  
1164






Tripod DA100K  
5122



Mini Ground Spreader 100  
7002K

CINE20





CINE

Systems Overview

CINE30


CINE50



	Cine 30 EFP CF MS 3013	Cine 30 EFP CF GS 3014	Cine 30 3026	Cine 50 6026
Bowl:	150 mm	150 mm	150 mm	150 mm
Payload range:	3 - 32 kg / 7 - 71 lb	3 - 32 kg / 7 - 71 lb	3 - 32 kg / 7 - 71 lb	10 - 50 kg / 22 - 110 lb
Counterbalance:	18 steps + Boost Button	18 steps + Boost Button	18 steps + Boost Button	18 steps
Drag Setting:	7+0	7+0	7+0	9+0
System Weight:	12.2 kg / 26.9 lb	12.7 kg / 28 lb	20 kg / 44 lb	23.4 kg / 51.6 lb
Camera fitting:	Slideload	Slideload	Slideload	Slideload
Sliding Range:	150 mm / 5.9 in	150 mm / 5.9 in	150 mm / 5.9 in	150 mm / 5.9 in
Temperature Range:	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F	-40° to +60°C / -40° to +140°F
Height Range with Spreader:	77 - 173 cm	76 - 176 cm	105 - 195 cm	106 - 196 cm
Tripod Extension:	2-Stage	2-Stage	1-Stage	1-Stage
Tripod Material:	Carbon Fibre	Carbon Fibre	Aluminium	Aluminium

Cine 30 and Cine 50 Systems include fluid head and pan bar, tripod and spreader, and front pan bar.


Accessories




Front Pan Bar HD  
3372



Front Box Adaptor  
3921



Slideload Plate HD  
3060









Tripod Cine 2000  
Short 6232



Mini Ground Spreader  
EX 7013K

CINE30

CINE50





[sachtler.com/cine](https://sachtler.com/cine)



**Sachtler**  
A Videndum plc Brand