

ASSEMBLY PLAN / PLAN D'ASSEMBLAGE

REVOLT VCT UNIVERSAL BASEPLATE

SHAPE
MADE IN CANADA

SOLID ANODISED ALUMINUM
LIGHTWEIGHT DESIGN
DESIGN LÉGER
D'ALUMINIUM ANODISÉ

ADJUSTABLE ROD BLOC 15MM
ROD BLOC 15MM AJUSTABLE

15 MM RODS 8 IN.(2)

CAPTIVE SCREWS 1/4-20 & 3/8-16 /
VIS CAPTIVES 1/4-20 & 3/8-16



CAMERA (NOT INCLUDED/ NON INCLUSE)

SLIDING PLATE /
PLAQUE COULISSANTE

INDEXABLE KEY LEVER /
CLÉ INDEXABLE AJUSTABLE

15 MM RODS 4 IN.(2)

ADJUSTABLE ROD BLOC 15MM
ROD BLOC 15MM AJUSTABLE

SHOULDER PAD / ÉPAULIÈRE



BOTTOM VIEW / VU DU DESSOUS



SHAPE VCT TRIPOD PLATE
(NOT INCLUDED / NON INCLUSE)



FINAL RESULT / RÉSULTAT FINAL

SHAPE RESERVES THE RIGHT TO USE ANY PHOTOS INCLUDING SHAPE PRODUCTS
FOR MARKETING PURPOSES



ASSEMBLY PLAN / PLAN D'ASSEMBLAGE

REVOLT VCT UNIVERSAL BASEPLATE

ADJUSTABLE FEATURES

1/4-20 & 3/8-16 THREADED HOLES
TOOLBOX FOR EXTRA SCREWS



BOÎTE A OUTILS AVEC TROUS FILETÉS
1/4-20 & 3/8-16 POUR LES VIS CAPTIVES

LOCKING LEVER




LEVIER DE BARRURE

AJUSTABLE 15MM RODBLOC
(USE ALLEN KEY)



HAUTEUR AJUSTABLE DU RODBLOC
(UTILISER CLÉ ALLEN)

INSTALL THE SLIDING POSITIONING PLATE
FROM THE FRONT, LOCKING LEVER OPEN



INSTALLER LA PLAQUE GLISSANTE PAR
LE DEVANT, LE LEVIER DE BARRURE OUVERT

ASSEMBLY PLAN / PLAN D'ASSEMBLAGE

REVOLT VCT UNIVERSAL BASEPLATE

SHAPE
MADE IN CANADA

ADJUSTABLE FEATURES

ROD BLOCS ARE POSITIONED DIRECTLY ON TOP FOR RED CAMERAS



RODBLOCS SONT DIRECTEMENT SUR LE DESSUS DE LA PLAQUE POUR LES CAMÉRAS RED

ALLEN KEY STORAGE SECURED WITH A MAGNET



AIMANT POUR RANGER LA CLÉ ALLEN

ROD BLOC CAN BE INSTALLED AT THE BACK (USE ALLEN KEY)



EMPLACEMENT DU ROD BLOC ARRIÈRE (UTILISER CLÉ ALLEN)

SCREW IN A PAIR OF THREADED 15MM RODS TO USE WITH ARRI AMIRA



AJOUT DE DEUX TIGES 15MM FILETÉS POUR UTILISER AVEC ARRI AMIRA

