4K & HDR for Live Production



HDC-4800 4K/HD Ultra Slowmotion Camera System

- An Ultra High Frame rate camera, like any normal system Camera
- Server integrated into BPU provides not only highest record time but also highest speed replay workflow

Key Features/Benefits

- 400fps in 4K / 800fps in HD
- Never miss any actions with Up to 4 hours in 4K UHFR recording
- Simple, fast & Seemless Highlight editing with real-time clips sharing with PWS-4500 SharePlay 10Gb Network
- Wide Colour Space & HDR Capable
- Flicker-free function without any delay
- IP Ready with NMI standard

Available: August 2016 Price: Around 250k€/ System

What is New UHFR Camera System

- 4K/UHD 8x (400fps) and 4K/UHD 1x (50fps) simultaneous operation
 - HD down-converted signal is also simultaneously available
 - BT2020 / HDR supports
 - 4K/UHD Powerful Live Flicker-free function inside without any flame delay
- Max 4 hours seamless recording, never miss any actions
 - Baseband Processing and UHFR server functions in a single, compact rack-mounting unit
- Powerful and Efficient Workflow
 - Long record times and real-time file Share-Play UHFR Camera
 with PWS-4500 allow the fastest, seamless highlight editing
 - Less manning operator in the workflow

SONY

PWS-100PRC1

Base band:

PWSK-4403

K Slow, 4K Live, HD Slow, HD Live

BPU with Storage

RCP-1500

SMPTE Fiber


All 4K-HFR data

HDCU-

2000/2500



Share-Play Work flow






Other Key USPs and Specs

- Camera
 - Newly developed Super 35mm imager with Global Shutter
 - PL mount lens interface
 - Same form factor as HDC- camera, ND/CC motorised filters adopted
 - Same Accessories as HDC series i.e. RCP, HDVF
- BPU with Server
 - 3U height, 19 inch rack mount width
 - 4TB memory standard (1h @4K/UHD 8x), expandable up to 16TB (4h @4K/UHD 8x)
 - all-in one solution for UHFR recording and normal speed highlights editing by one operator
 - NMI as standard
 - HD-Cut out of UHFR

BPU with Server



19 inch rack mount



4K HFR Processor Unit with Storage

- HFR speed data is recorded by HFR data
- File Sharing with New PWS-4500 server can be available.
- File transfer with media Gate way or direct transfer from optional extension board.

INTERNAL

Model Line Up and Schedule

- Product Announcement
 - NAB2016
- Ex-Factory
 - 2016/Aug (target)
- Model line up
 - 4K/UHD UHFR 8x camera
 - Baseband Processor Unit with Server
 - Internal Memory Array(4TB)

INTERNAL